

Revision: 1.1

Revision date:

16 April 2021

Date printed:

12 August 2023

## Section 1. Identification

### 1.1 Product Identifier 0461

Product Name NICKEL (II) CARBONATE BASIC

CAS Number 12607-70-4

REACH Registration No 01-2119490826-25-XXXX

Molecular Formula  $\text{NiCO}_3 \cdot 2\text{Ni}(\text{OH})_2 \cdot 4\text{H}_2\text{O} = 376.23$

### 1.2 Relevant identified uses of the substance or mixture & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

### 1.3 Supplier Vickers Laboratories Ltd



Grangefield Industrial Estate  
Richardshaw Road  
Pudsey  
West Yorkshire  
LS28 6QW  
UNITED KINGDOM

Phone 44 0113 2362811  
Fax +44(0)113 2362703  
Email [safety@viclabs.co.uk](mailto:safety@viclabs.co.uk)  
Website [www.viclabs.co.uk](http://www.viclabs.co.uk)

### 1.4 Emergency Telephone (08:00-16:30) +44(0) 113 2362811 (24hr) 112 (Have this document to hand)

## Section 2. Hazards Identification

### 2.1 Classification of the substance or mixture

#### Classification according to regulation 1272/2008/EC

Acute toxicity, category 4 (oral)

Skin corrosion/irritation, category 2

Acute toxicity, category 4 (inhalation)

Respiratory sensitization, category 1

Skin sensitization, category 1

Germ cell mutagenicity, category 2

Carcinogenicity, category 1A

Reproductive toxicity, category 1B

Spec target organ tox - repeat, category 1

Hazard to aquatic environment, category 1

Hazard to aquatic environment, category 1

H302: Harmful if swallowed.

H315: Causes skin irritation.

H332: Harmful if inhaled.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317: May cause an allergic skin reaction.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H360: May damage fertility or the unborn child.

H372: Causes damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms



**Hazard Statements** May cause cancer. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** Obtain special instructions before use. Wear protective gloves / protective clothing / eye protection / face protection. IF exposed or concerned: Get medical advice/attention.

## Section 3. Composition

### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Nickel Carbonate Basic	12607-70-4	236-715-9	01-2119490826-25-XXXX	100%	Acute Tox. 4 (O),Skin Irrit. 2,Acute Tox. 4 (I),Resp. Sens. 1,Skin Sens. 1,Muta. 2,Carc. 1A,Repr. 1B,STOT RE 1,Aquatic Acute 1,Aquatic Chronic 1

## Section 4. First Aid

### 4.1 Description of first aid measures

Eyes	Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.
Skin	Remove contaminated clothing immediately and wash before re-use. Thoroughly wash off skin with soap and water. If discomfort persists OBTAIN MEDICAL ATTENTION.
Inhalation	Remove from exposure. Keep warm and at rest.
Ingestion	Induce vomiting. OBTAIN MEDICAL ATTENTION URGENTLY. If unconscious place in the recovery position.
Personal protection for first aiders	Wear protective gloves / eye protection.

### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

## Section 5. Fire Fighting

### 5.1 Extinguishing media

Extinguishing Media	Water spray.
Unsuitable Media	Nothing specified.

### 5.2 Special hazards arising from the substance or mixture

Hazards	Emits toxic fumes under fire conditions.
---------	--

### 5.3 Advice for firefighters

Advice for firefighters	Consider all other materials in the vicinity.
-------------------------	---

## Section 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Evacuate area immediately. Avoid breathing dust-wear respiratory protective equipment. Do not allow general use of area until it is safe to do so.

## 6.2 Environmental precautions

Environmental Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

## 6.3 Methods and material for containment and cleaning up

Major Spillage Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable container for disposal. Carry out this operation under fume extraction. Wash area down with copious amounts of water.

Minor Spillage Wash area down with copious amounts of water.

## 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

# Section 7. Storage & Handling

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.

## 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage .

## 7.3 Specific end use(s)

See section 1.2.

# Section 8. Workplace Exposure & Personal Protection

## 8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits	
			Long Term (8hr TWA)	Short Term 15min period
Nickel Carbonate Basic	12607-70-4	100%	-	-

Exposure data source(s) No occupational exposure data currently available.

## 8.2 Exposure controls

Respiratory Protection Wear ori-nasal face mask with requisite dust/mist cartridge fitted.

Hand Protection Wear rubber gloves.

Eye Protection Use tightly fitting chemical splash proof glasses or goggles.

Skin Protection Wear PVC oversuit. Wear boots made of PVC.

Special Hazards No special precautions required.

# Section 9. Physical & Chemical Properties

## 9.1 Information on basic physical and chemical properties

Appearance Pale green powder.  
Odour Odourless.  
pH Not applicable  
Boiling Point Not available  
Melting Point Not applicable  
Flash Point Not applicable  
Upper Flammable Limit Not applicable  
Lower Flammable Limit Not applicable  
Auto Ignition Not applicable

Explosive Properties	No.
Oxidising Properties	No.
Vapour Pressure	Not applicable
Relative Density	Not available
Water Solubility	Insoluble in water.

## 9.2 Other information

No data available.

## Section 10. Stability & Reactivity

10.1	Reactivity	No data available.
10.2	Chemical Stability	Stable under normal conditions
10.3	Possibility of hazardous reactions	No data available.
10.4	Conditions to Avoid	Avoid exposure to heat.
10.5	Incompatible Materials	Acids.
10.6	Hazardous Decomposition Products	In combustion emits toxic fumes.

## Section 11. Toxicological Information

### 11.1 Information on toxicological effects

Eyes	Not specified.
Skin	Not specified.
LD50 Skin	Not available
Ingestion	Not specified.
LD50 Oral	1044mg/kg Rat
Inhalation	The powder may cause cancer.
LD50 Inhalation	Not available
TCLo	Not available
Carcinogenicity	Carcinogen by inhalation.
Mutagenicity	Not specified.
Reproductive Effects	No information is available.

## Section 12. Ecological

12.1	Toxicity	Nickel salts are harmful to the environment. Very Toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment.
	LC50 Algal	Not available
	LC50 Crustacea	Not available
	LC50 Fish	Not available
12.2	Persistence and degradability	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility in soil	No data available.
12.5	Results of PBT & vPvB assessment	Assessment not required.
12.6	Other adverse effects	None known at present.


## Section 13. Disposal Considerations

### 13.1 Waste treatment methods

Disposal Methods	Material is a toxic carcinogen. Dispose of via an authorised waste disposal contractor to an approved waste disposal site, observing all local and national regulations.
Contaminated Packaging	Dispose of via an authorised waste disposal contractor to an approved waste disposal site, observing all local and national regulations.

## Section 14. Transport Information

<b>14.1 UN Number</b>	3077
<b>14.2 Proper Shipping Name</b>	Environmentally hazardous substance, solid, N.O.S. ([Carbonato(2-)]tetrahydroxytrinickel hydrate)
<b>14.3 Transport classes</b>	
UN classification	9
Subsidiary hazard(s)	None
Transport category	3
ADR Hazard ID	90
Tunnel Restriction Code	E
	Single packs and combination packages containing inner packs of up to 5L or 5Kg are excluded from regulation (ADR 2.2.9.1.10, IMDG code 2.10.3).
<b>14.4 Packing Group</b>	III
<b>14.5 Environment hazards</b>	Marine pollutant.
<b>14.6 Special precautions for user</b>	No special precautions required.
<b>14.7 Transport in bulk</b>	Not transported in bulk.



## Section 15. Regulatory Information

### 15.1 Safety, health and environment regulations specific for substance/mixture.

#### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification	Acute toxicity, category 4 (oral); Skin corrosion/irritation, category 2; Acute toxicity, category 4 (inhalation); Respiratory sensitization, category 1; Skin sensitization, category 1; Germ cell mutagenicity, category 2; Carcinogenicity, category 1A; Reproductive toxicity, category 1B; Spec target organ tox - repeat, category 1; Hazard to aquatic environment, category 1; Hazard to aquatic environment, category 1
Signal word	Danger
Hazard Pictograms	
Hazard Statements	H350, H302, H315, H317, H332, H334, H341, H360, H372, H410 May cause cancer. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Precautionary Statements	P201, P280, P308+P313 Obtain special instructions before use. Wear protective gloves / protective clothing / eye protection / face protection. IF exposed or concerned: Get medical advice/attention.

### 15.2 Chemical safety assessment

Assessment not required.

## Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 12 August 2023

Copyright: 2023 Vickers Laboratories Ltd