# Vickers Laboratories Ltd - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1

Revision date: Date printed:

### 16 April 2021 12 August 2023

078

## Section 1. Identification

Product Identifier	0781
Product Name	ACETYL CHLORIDE pure
CAS Number REACH Registration No	75-36-5 A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date.
Molecular Formula	CH <sub>3</sub> COC1 =78.50

### 1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier

1.4

1.1

Vickers Laboratories Ltd



Grangefield Industrial Estate Richardshaw Road Pudsey West Yorkshire LS28 6QW UNITED KINGDOM

Phone Fax Email Website	44 0113 2362811 +44(0)113 2362703 safety@viclabs.co.uk www.viclabs.co.uk
Emergency Telephone	(08:00-16:30) +44(0) 113 2362811 (24hr) 112
	(Lawe this document to hand)

### Section 2. Hazards Identification

### 2.1 Classification of the substance or mixture

### Classification according to regulation 1272/2008/EC

Flammable liquid, category 2 Skin corrosion/irritation, category 1B H225: Highly flammable liquid and vapour. H314: Causes severe skin burns and eye damage.

### 2.2 Label elements

### Labelling according to regulation 1272/2008/EC

Signal word

Danger

Hazard Pictograms



Hazard StatementsHighly flammable liquid and vapour. Causes severe skin burns and eye damage.Precautionary StatementsKeep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection.<br/>Avoid breathing dust / fume / gas / mist / vapours / spray. IF SWALLOWED: Immediately call a POISON<br/>CENTER or doctor/physician. Do NOT induce vomiting.Supplemental Hazard<br/>Information (EU)Reacts violently with water.

### Section 3. Composition

### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Acetyl Chloride	75-36-5	200-865-6		98%	Flam. Liq. 2,Skin Corr. 1B

### Section 4. First Aid

#### 4.1 Description of first aid measures

Eyes	Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. OBTAIN MEDICAL ATTENTION URGENTLY.
Skin	Wash off skin thoroughly with water. Remove contaminated clothing immediately and wash before re-use. OBTAIN MEDICAL ATTENTION.
Inhalation	Remove from exposure. Keep warm and at rest. If there is difficulty in breathing give oxygen if available. If breathing stops or shows signs of failing, apply artificial resuscitation. If conscious place in a sitting position. OBTAIN MEDICAL ATTENTION URGENTLY.
Ingestion	If conscious give plenty of water to drink. Do not induce vomiting. If unconscious place in the recovery position. OBTAIN MEDICAL ATTENTION URGENTLY.
Personal protection for first aiders	Wear protective gloves / eye protection.

### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

# Section 5. Fire Fighting

### 5.1 Extinguishing media

Extinguishing Media	Alcohol resistant foam, dry powder, carbon dioxide or vaporising liquid.
Unsuitable Media	Do not allow water to come into direct contact with material.

### 5.2 Special hazards arising from the substance or mixture

May evolve toxic fumes if involved in a fire. Vapour-air mixtures are explosive.

### 5.3 Advice for firefighters

Advice for firefighters

Hazards

Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus.

### Section 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Ensure no sources of ignition. Evacuate area immediately. Avoid breathing vapour. Only re-enter area with full protective clothing and breathing apparatus. Do not allow general use of area until it is safe to do so.

#### 6.2 Environmental precautions Environmental

Keep non-neutralised material out of sewers, storm drains, surface waters and soil. Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

### 6.3 Methods and material for containment and cleaning up

Major Spillage Contain and absorb on inert material. Transfer absorbent to salvage container for removal. Wash area down with copious amounts of water.

Minor Spillage Neutralise spill with soda ash, lime, calcium carbonate or sodium bicarbonate. Wash area down with copious amounts of water.

### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

### Section 7. Storage & Handling

### 7.1 Precautions for safe handling

All transfer systems should be earthed to prevent accumulation of static electricity. Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains vapour concentrations to a minimum.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry, fireproof location. Protect from direct sun and store away from sources of ignition. Keep containers closed when not in use. Protect against moisture to prevent decomposition and corrosion.

#### 7.3 Specific end use(s)

See section 1.2.

### Section 8. Workplace Exposure & Personal Protection

### 8.1 Control parameters

Component	CAS No	Concentration	Workplace E	Exposure Limits
			Long Term (8hr TWA)	Short Term 15min period)
Acetyl Chloride	75-36-5	98%		
Exposure dat	ta source(s)	No occupational exposure da	ata currently available.	
8.2 Exposure cont	rols			
Respiratory I	Protection		tion to maintain vapour concentrations ge respirator, or use self contained breat	below exposure limits. If not, use a well thing apparatus.
Hand Protect	tion	Use PVC gauntlets.		
Eye Protection	on	Use chemical full face shield	l.	
Skin Protecti	on	If skin contact or contaminat	ion of clothing is likely, protective clot	hing must be worn.
Special Haza	urds	No special precautions requi	red.	

### Section 9. Physical & Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance	Clear colourless liquid.	
Odour	Pungent.	
pH	Not applicable	
Boiling Point	51°C	
Melting Point	-112°C	
Flash Point	5°C (Closed cup)	
Upper Flammable Limit	19%	
Lower Flammable Limit	7.3%	
Auto Ignition	390°C	
Explosive Properties	Severe in confined spaces.	
Oxidising Properties	No.	
Vapour Pressure	240.02mmHg @ 20°C	
Relative Density	1.1000	
about I about out on I to Cafe	the Data Shoot	Da

Vickers Laboratories Ltd - Safety Data Sheet

Ref: 0781

## 9.2 Other information

No data available.

## Section 10. Stability & Reactivity

10.1	Reactivity	No data available.
10.2	Chemical Stability	Stable under normal conditions but decomposes violently in contact with water.
10.3	Possibility of hazardous reactions	No data available.
10.4	Conditions to Avoid	Avoid contact with water or water vapour.
10.5	Incompatable Materials	Alkaline earth metals, alkali metals, water, alcohols, amides, and sulphoxides.
10.6	Hazardous Decomposition Products	May decompose to produce toxic and corrosive fumes of Hydrochloric acid, acetic acid and phosgene.

# Section 11. Toxicological Information

#### 11.1 Information on toxicological effects

Eyes	The vapour is be extremely irritating to eyes and can cause chemical eye burns. Damage can range from severe irritation and corneal scarring to permanent blindness.
Skin	Both the vapour and liquid will, cause burns.
LD50 Skin	Not available
Ingestion	Ingestion will cause severe mouth burns, and if swallowed extensive damage to the oesophagus. Symptoms may include salivation, thirst, difficulty in swallowing, pain, shock and vomiting.
LD50 Oral	910mg/kg Rat
Inhalation	Exposure to vapour concentrations above the occupational exposure limits will produce irritation of the eyes, nose, throat and respiratory tract. High concentrations of vapour will seriously damage the membranes lining the nose, throat and upper respiratory tract.
LD50 Inhalation	Not available
TCLo	Not available
Carcinogenicity	Not considered to be a carcinogen.
Mutagenicity	Not considered to be a mutagen.
Reproductive Effects	None identified.
Other Information	5-10ppm is the threshold for irritation with severe irritation occurring at 50-100 ppm.

## Section 12. Ecological

12.1	Toxicity	Do not allow to enter drinking water supplies, waste water, or soil. Slightly toxic to aquatic species but is unlikely to bioaccumulate.
	LC50 Algal	Not available
	LC50 Crustacea	Not available
	LC50 Fish	Not available
12.2	Persistence and degradability	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility in soil	No data available.
12.5	Results of PBT & vPvB assessment	Assessment not required.
12.6	Other adverse effects	None known at present.

## Section 13. Disposal Considerations

#### 13.1 Waste treatment methods

Disposal Methods Contaminated Packaging

Dispose of in a licensed incinerator. Never dispose of into water courses or sewerage systems.

Use a licensed waste disposer. Carefully neutralise with a weak sodium hydroxide solution then wash out thoroughly with water.

### Section 14. Transport Information

14.1	UN Number	1717	
14.2	Proper Shipping Name	Acetyl chloride	
14.3	Transport classes UN classification Subsidiary hazard(s) Transport category ADR Hazard ID Tunnel Restriction Code	3 8 2 X338 D/E	FLAMMABLE LIQUID 3 8
14.4	Packing Group	II	
14.5	Environment hazards	See section 12.	
14.6	Special precautions for user	No special precautions required.	
14.7	Transport in bulk	Not transported in bulk.	

### Section 15. Regulatory Information

### 15.1 Safety, health and environment regulations specific for subtance/mixture.

### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification	Flammable liquid, category 2; Skin corrosion/irritation, category 1B
Signal word	Danger
Hazard Pictograms	
Hazard Statements	H225, H314 Highly flammable liquid and vapour. Causes severe skin burns and eye damage.
Precautionary Statements	P233, P280, P261, P301+P310, P331 Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
Supplemental Hazard Information (EU)	EUH014 Reacts violently with water.

### 15.2 Chemical safety assessment

Assessment not required.

### Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 12 August 2023

Copyright: 2023 Vickers Laboratories Ltd