# Vickers Laboratories Ltd - Safety Data Sheet

0983

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.2 Revision date: 16 April 2021 Date printed: 12 August 2023

### **Section 1. Identification**

1.1 Product Identifier 0983

Product Name CHROMIUM (III) POTASSIUM SULPHATE 12H2O pure

CAS Number 7788-99-0

REACH Registration No A registration number is not available as the substance or its uses are exempt, the

annual tonnage does not require a registration or the registration is envisaged for a

later date.

Molecular Formula Crk(SO<sub>4</sub>)<sub>2</sub>.12H<sub>2</sub>O =499.39

#### 1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

#### **1.3 Supplier** Vickers Laboratories Ltd



Grangefield Industrial Estate

Richardshaw Road

Pudsey

West Yorkshire LS28 6QW

UNITED KINGDOM

 Phone
 44 0113 2362811

 Fax
 +44(0)113 2362703

 Email
 safety@viclabs.co.uk

 Website
 www.viclabs.co.uk

**1.4 Emergency Telephone** (08:00-16:30) +44(0) 113 2362811

lhr) 11

(Have this document to hand)

# Section 2. Hazards Identification

# 2.1 Classification of the substance or mixture

### Classification according to regulation 1272/2008/EC

Skin corrosion/irritation, category 2 Serious eye damage/irritation, category 2 H315: Causes skin irritation. H319: Causes serious eye irritation.

#### 2.2 Label elements

#### Labelling according to regulation 1272/2008/EC

Signal word Warning

Hazard Pictograms



Hazard Statements Causes skin irritation. Causes serious eye irritation.

**Precautionary Statements** Wash thoroughly after handling. Wear protective gloves / protective clothing / eye protection. IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. If

eye irritation persists: Get medical advice/attention.

# **Section 3. Composition**

#### 3.1 Substances

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Chromic potassium	7788-99-0	233-401-6		97%	Skin Irrit. 2,Eye Irrit. 2
sulphate					

# Section 4. First Aid

#### 4.1 Description of first aid measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists

OBTAIN MEDICAL ATTENTION.

Skin Thoroughly wash off skin with soap and water. Remove contaminated clothing immediately and wash before re-

Inhalation Remove from exposure.

Ingestion Wash out the patients mouth thoroughly with water. In severe cases or if exposure has been great, OBTAIN

MEDICAL ATTENTION.

Personal protection for first Wear protective gloves / eye protection.

#### 4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

### Section 5. Fire Fighting

#### 5.1 Extinguishing media

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

#### 5.2 Special hazards arising from the substance or mixture

Hazards May evolve toxic fumes if involved in a fire.

#### 5.3 Advice for firefighters

Advice for firefighters Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear

protective clothing and breathing apparatus.

### Section 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Avoid breathing dust-wear respiratory protective equipment. Do not allow other people to enter area.

#### 6.2 Environmental precautions

Enviromental Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

#### 6.3 Methods and material for containment and cleaning up

Major Spillage Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable

container for disposal. Carry out this operation under fume extraction.

container for disposal. Carry out this operation under fume extraction.

#### 6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

## Section 7. Storage & Handling

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing.

Ensure Local Exhaust Ventilation maintains dust concentrations to a minimum.

#### 7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry storage.

#### 7.3 Specific end use(s)

See section 1.2.

## Section 8. Workplace Exposure & Personal Protection

#### 8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits			
			Long Term (8hr TWA)		Short Term 15min period)	
Chromic potassium sulphate	7788-99-0	97%	-	-	0.5 ppm	-

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

#### 8.2 Exposure controls

Hand Protection Wear gloves.

Skin Protection Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

# Section 9. Physical & Chemical Properties

# 9.1 Information on basic physical and chemical properties

Appearance Dark violet fine crystals.

Odour No specific odour.

pH 3 @ 20°C solution.

Boiling Point Not available

Melting Point 89°C

Flash Point Not applicable
Upper Flammable Limit Not applicable
Lower Flammable Limit Not applicable
Auto Ignition Not applicable

Explosive Properties No. Oxidising Properties No.

Vapour Pressure Not applicable Relative Density Not available

Water Solubility Moderately soluble in water.

#### 9.2 Other information

No data available.

## Section 10. Stability & Reactivity

**10.1** Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

**10.3** Possibility of hazardous No data available.

reactions

**10.4** Conditions to Avoid Prolonged heat.

10.5 Incompatable Materials No specific materials to avoid.10.6 Hazardous Decomposition Toxic fumes of sulphur dioxide.

Products

# Section 11. Toxicological Information

#### 11.1 Information on toxicological effects

Eyes Contact with the solid or dust will be irritating to the eyes.

Skin Contact with the solid or dust will be irritating to the skin.

LD50 Skin Not available

Ingestion Presents no significant hazard by ingestion.

LD50 Oral 3530mg/kg Rat

Inhalation Inhalation of dust will produce irritation of the eyes, nose, throat and respiratory tract.

LD50 Inhalation Not available TCLo Not available

Carcinogenicity Not considered to be a carcinogen.

Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified

### Section 12. Ecological

**12.1** Toxicity No specific environmental hazard.

LC50 Algal Not available
LC50 Crustacea Not available
LC50 Fish Not available

**12.2** Persistence and degradability No data available.

12.3 Bioaccumulative potential No data available.12.4 Mobility in soil No data available.

**12.5** Results of PBT & vPvB Assessment not required.

assessment

**12.6** Other adverse effects None known at present.

### **Section 13. Disposal Considerations**

#### 13.1 Waste treatment methods

Disposal Methods Dispose of to a licensed land fill site.

Contaminated Packaging Use a licensed waste disposer.

# **Section 14. Transport Information**

14.1 UN Number Non-restricted14.2 Proper Shipping Name Non-restricted

14.3 Transport classes

UN classification None Subsidiary hazard(s) None Transport category None

ADR Hazard ID Non-restricted
Tunnel Restriction Code Non-restricted

14.4 Packing Group None

**14.5 Environment hazards** See section 12.

**14.6 Special precautions for** No special precautions required.

user

**14.7 Transport in bulk** Not transported in bulk.

# Section 15. Regulatory Information

# $15.1\ Safety, health\ and\ environment\ regulations\ specific\ for\ subtance/mixture.$

#### Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Skin corrosion/irritation, category 2; Serious eye damage/irritation, category 2

Signal word Warning

Hazard Pictograms



Hazard Statements H315, H319

Causes skin irritation. Causes serious eye irritation.

Precautionary Statements P264, P280, P305+P351+P338, P337+P313

Wash thoroughly after handling. Wear protective gloves / protective clothing / eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do and continue rinsing. If eye irritation persists: Get medical advice/attention.

#### 15.2 Chemical safety assessment

Assessment not required.

# Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.2 (Supercedes revision 1.1)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 12 August 2023

Copyright: 2023 Vickers Laboratories Ltd