Vickers Laboratories Ltd - Safety Data Sheet

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 2.0 (Replaces revision 1.1 of 16 April 2021) Revision date: Date printed:

21 April 2021 12 August 2023

311

Section 1. Identification

1.1	Product Identifier	3111
	Product Name	DPX
	CAS Number REACH Registration No	Mixture A registration number is not available as the substance or its uses are exempt, the annual tonnage does not require a registration or the registration is envisaged for a later date.

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier

VICKERS

Grangefield Industrial Estate Richardshaw Road Pudsey West Yorkshire LS28 6QW UNITED KINGDOM

Vickers Laboratories Ltd

	Phone	44 0113 2362811
	Fax	+44(0)113 2362703
	Email	safety@viclabs.co.uk
	Website	www.viclabs.co.uk
1.4	Emergency Telephone	(08:00-16:30) +44(0) 113 2362811
		(24hr) 112
		(Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC


- Flammable liquid, category 3 Skin corrosion/irritation, category 2 Acute toxicity, category 4 (dermal) Acute toxicity, category 4 (inhalation) Serious eye damage/irritation, category 2 Reproductive toxicity, category 1B Spec target organ tox - single, category 3 Spec target organ tox - repeat, category 2 Hazard to aquatic environment, category 1 Hazard to aquatic environment, category 1
- H226: Flammable liquid and vapour.
- H315: Causes skin irritation.
- H312: Harmful in contact with skin.
- H332: Harmful if inhaled.
- H319: Causes serious eye irritation.
- H360: May damage fertility or the unborn child.
- H335: May cause respiratory irritation.
- H373: May cause damage to organs through prolonged or repeated exposure.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms



Section 3. Composition

3.2 Mixtures

Component	CAS No.	EEC No.	REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Xylene	1330-20-7	215-535-7	01-2119488216-32-XXXX	~70%	Flam. Liq. 3, Skin Irrit. 2, Acute Tox. 4 (D), Acute Tox. 4 (I)
Dibutyl phthalate	84-74-2			~10%	Repr. 1B,Aquatic Acute 1

Section 4. First Aid

4.1 Description of first aid measures

Eyes	Flush with water for at least 15 minutes and contact physician.
Skin	Thoroughly wash off skin with soap and water.
Inhalation	Remove from exposure. If breathing stops or shows signs of failing, apply artificial resuscitation.
Ingestion	Do not induce vomiting. If conscious wash out mouth with water.
Personal protection for first aiders	Wear protective gloves / eye protection.

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

	Extinguishing Media	Water spray, alcohol resistant foam, dry powder or carbon dioxide. Use water spray to keep fire exposed containers cool.
	Unsuitable Media	Nothing specified.
5.2 Sr	pecial hazards arising from	the substance or mixture
	8	
	Hazards	Vapour-air mixtures are explosive.

5.3 Advice for firefighters

Advice for firefighters

Consider all other materials in the vicinity.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Use approved personal protective equipment. Avoid breathing vapour. Ensure no sources of ignition. Beware : vapour is heavier than air and will tend to accumulate at low spots.

6.2 Environmental precautions

Enviromental

Keep material out of sewers, storm drains, surface waters and soil.

6.3 Methods and material for containment and cleaning up

Major Spillage	Eliminate all sources of ignition and use ventilation to keep gas concentration below the explosive mixture range. Absorb into dry earth or sand. Transfer absorbent to salvage container for removal.
Minor Spillage	Contain and absorb on inert material. Transfer absorbent to container for removal. Wash area down with copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Keep containers closed when not in use.

Ensure Local Exhaust Ventilation maintains vapour concentrations to a minimum.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry, fireproof location.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

Component	CAS No	Concentration	Workplace Exposure Limits			
			Long Term (8h	r TWA)	Short Term 15mi	in period)
Xylene	1330-20-7	~70%	50.0 ppm	220.0 mg/m-3	100.0 ppm	441.0 mg/m-3
Dibutyl phthalate	84-74-2	~10%	-	-	-	-

Exposure data source(s) IOELV: Indicative Occupational Exposure Limit Value.

8.2 Exposure controls

Respiratory Protection	Use L.E.V. or natural ventilation to reduce vapour concentrations to a minimum.
Hand Protection	Wear gloves.
Eye Protection	Use safety glasses with side shields.
Skin Protection	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.
Special Hazards	No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	Clear colourless liquid
Odour	Characteristic.
pН	Not applicable
Boiling Point	Not specified.
Melting Point	Not specified.
Flash Point	28°C (Closed cup)
Upper Flammable Limit	Not applicable
Lower Flammable Limit	Not applicable
Auto Ignition	Not applicable
Explosive Properties	Above the flash point, explosive vapour-air mixtures may be formed.
Oxidising Properties	No.
Vapour Pressure	Not applicable

Vickers Laboratories Ltd - Safety Data Sheet

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1	Reactivity	No data available.
10.2	Chemical Stability	Stable under normal conditions
10.3	Possibility of hazardous reactions	No data available.
10.4	Conditions to Avoid	Hot surfaces, naked flames or other sources of ignition.
10.5	Incompatable Materials	Bases, strong oxidising agents, acids, chlorine, nitrates.
10.6	Hazardous Decomposition Products	Not determined.

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes	The liquid or concentrated vapour will be irritating to the eyes.
Skin	Harmful in contact with skin. The liquid or concentrated vapour will be irritating to the skin.
LD50 Skin	Not available
Ingestion	May be harmful by ingestion.
LD50 Oral	Not available
Inhalation	Material is irritating to mucous membranes and upper respiratory tract.
LD50 Inhalation	Not available
TCLo	Not available
Carcinogenicity	Not considered to be a carcinogen.
Mutagenicity	Not considered to be a mutagen.
Reproductive Effects	May impair fertility.

Section 12. Ecological

12.1	Toxicity	Very toxic to aquatic life.
	LC50 Algal	Not available
	LC50 Crustacea	Not available
	LC50 Fish	Not available
12.2	Persistence and degradability	No data available.
12.3	Bioaccumulative potential	No data available.
12.4	Mobility in soil	No data available.
12.5	Results of PBT & vPvB assessment	Assessment not required.
12.6	Other adverse effects	None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods

Burn in a chemical incinerator equipped with afterburners and scrubbers.

Contaminated Packaging Wash out containers with water. Use a licensed waste disposer.

Section 14. Transport Information

14.1	UN Number	1307
14.2	Proper Shipping Name	Xylenes
14.3	Transport classes UN classification Subsidiary hazard(s) Transport category	3 None 2
	ADR Hazard ID Tunnel Restriction Code	30 3 D/E
	Packing Group Environment hazards	III See section 12.
14.6	Special precautions for user	No special precautions required.
14.7	Transport in bulk	Not transported in bulk.

Section 15. Regulatory Information

15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification	Flammable liquid, category 3; Skin corrosion/irritation, category 2; Acute toxicity, category 4 (dermal); Acute toxicity, category 4 (inhalation); Serious eye damage/irritation, category 2; Reproductive toxicity, category 1B; Spec target organ tox - single, category 3; Spec target organ tox - repeat, category 2; Hazard to aquatic environment, category 1; Hazard to aquatic environment, category 1
Signal word	Danger
Hazard Pictograms	
Hazard Statements	H226, H312, H332, H315, H319, H360, H335, H373, H400+H410 Flammable liquid and vapour. Harmful in contact with skin. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May damage fertility or the unborn child. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Precautionary Statements	P233, P280, P261, P301+P310, P331 Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 2.0 (Supercedes revision 1.1)

Revision date: 21 April 2021

Reviewed by chemist: 21 April 2021

Printed date: 12 August 2023

Copyright: 2023 Vickers Laboratories Ltd

Ref: 3111