Vickers Laboratories Ltd - Safety Data Sheet

4924

(in accordance with regulation (EU) 2015/830 and regulation (EC) 1272/2008)

Revision: 1.1 Revision date: 16 April 2021
Date printed: 12 August 2023

Section 1. Identification

1.1 Product Identifier 4924

Product Name OCT-1-ENE

CAS Number 111-66-0

REACH Registration No 01-2119486877-14-XXXX

Molecular Formula

C. H. = 112.21

1.2 Relevent identified uses of the substance or mixure & uses advised against

Uses of Material Chemical for industrial and laboratory use. Not suitable for domestic use.

1.3 Supplier Vickers Laboratories Ltd



Grangefield Industrial Estate

Richardshaw Road

Pudsey

West Yorkshire LS28 6OW

UNITED KINGDOM

 Phone
 44 0113 2362811

 Fax
 +44(0)113 2362703

 Email
 safety@viclabs.co.uk

 Website
 www.viclabs.co.uk

.4 Emergency Telephone (08:00-16:30) +44(0) 113 2362811

(24hr) 112

(Have this document to hand)

Section 2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to regulation 1272/2008/EC

Flammable liquid, category 2 H225: Highly flammable liquid and vapour.

Aspiration hazard, category 1 H304: May be fatal if swallowed and enters airways. Hazard to aquatic environment, category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to regulation 1272/2008/EC

Signal word Danger

Hazard Pictograms





Ref: 4924



Hazard Statements Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Very toxic to aquatic life with

long lasting effects.

Precautionary Statements Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection.

Avoid breathing dust / fume / gas / mist / vapours / spray. IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician. Do NOT induce vomiting.

Supplemental Hazard Information (EU) Repeated exposure may cause skin dryness or cracking.

Section 3. Composition

3.1 Substances

Component	Component CAS No. EEC No.		REACH No.	Conc w/w	CLP Classification (1272/2008/CE)
Oct-1-ene	111-66-0	203-893-7	01-2119486877-14-XXXX	98%	Flam. Liq. 2,Asp. Tox. 1,Aquatic Chronic 1

Section 4. First Aid

4.1 Description of first aid measures

Eyes Flush with water for at least 15 minutes and contact physician.

Skin Thoroughly wash off skin with soap and water.

Inhalation Remove from exposure. If breathing stops or shows signs of failing, apply artificial resuscitation.

Ingestion Do not induce vomiting. If conscious wash out mouth with water.

Personal protection for first Wear protective gloves / eye protection.

aiders

4.2 Most important symptoms and effects, both acute & delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

Section 5. Fire Fighting

5.1 Extinguishing media

Extinguishing Media Alcohol resistant foam, dry powder, or carbon dioxide.

Unsuitable Media Nothing specified.

5.2 Special hazards arising from the substance or mixture

Hazards Presents no specific fire danger.

5.3 Advice for firefighters

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Protection Wear appropriate protective clothing. Evacuate area immediately. Ensure no sources of ignition. Beware: vapour

is heavier than air and will tend to accumulate at low spots.

6.2 Environmental precautions

Environmental Keep material out of sewers, storm drains, surface waters and soil.

6.3 Methods and material for containment and cleaning up

Major Spillage Cover spill with wet earth or sand and transfer to steel container for disposal. Ventilate area and wash spill site

after material pickup is complete. Beware of accumulation of vapour which is heavier than air.

and copious amounts of water.

6.4 Reference to other sections

See section 8.2 for information on protective equipment and section 13 for information on disposal.

Section 7. Storage & Handling

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not breath vapours. Do not allow to contaminate clothing. Keep away from sources of ignition. All transfer systems should be earthed to prevent accumation of static electricity.

Ensure Local Exhaust Ventilation maintains vapour concentrations below the recommended limits.

7.2 Conditions for safe storage, including any incompatibilities

Well ventilated, cool, dry, fireproof location. Keep container tightly closed.

7.3 Specific end use(s)

See section 1.2.

Section 8. Workplace Exposure & Personal Protection

8.1 Control parameters

	Component	CAS No	Concentration	Workplace Exposure Limits				
				Long Term (8hr TWA)		Short Term 15min period)		
I	Oct-1-ene	111-66-0	98%	-	-	-	-	

Exposure data source(s) No occupational exposure data currently available.

8.2 Exposure controls

Hand Protection Use nitrile gloves or PVC gauntlets.

Skin Protection If skin contact or contamination of clothing is likely, protective clothing must be worn.

Special Hazards No special precautions required.

Section 9. Physical & Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance Clear colourless liquid
Odour Characteristic.
pH Not applicable
Boiling Point Not applicable
Melting Point -101.7°C

Flash Point 8°C (Closed cup)

Upper Flammable Limit 6.8% Lower Flammable Limit 0.7%

Auto Ignition Not applicable

Explosive Properties Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Oxidising Properties No.

Vapour Pressure Not applicable
Relative Density Not available
Water Solubility Insoluble in water.

9.2 Other information

No data available.

Section 10. Stability & Reactivity

10.1 Reactivity No data available.

10.2 Chemical Stability Stable under normal conditions

10.3 Possibility of hazardous No data available.

reactions

10.4 Conditions to Avoid Hot surfaces, naked flames or other sources of ignition. Avoid exposure to heat and strong sunlight.

10.5 Incompatable Materials Bromine, Chlorine, Acids,

Hazardous Decomposition Burning will produce smoke, carbon monoxide and/or carbon dioxide.

Section 11. Toxicological Information

11.1 Information on toxicological effects

Eyes Both the vapour and liquid will, act as an eye irritant. Repeated exposure to the vapours can lead to reversible

corneal changes and conjunctivitis

Skin The liquid is mildly irritating to the skin. Repeated or prolonged contact may defat the skin producing irritation

and dermatitis.

LD50 Skin >2000mg/kg Rabbit

Ingestion Ingestion will cause causes damage to stomach and intestinal linings.

LD50 Oral

Inhalation Exposure to vapour concentrations above the occupational exposure limits will cause narcosis. Prolonged

exposure to vapour concentrations above the occupational exposure limits will cause headache, nausea, vomiting and irritation of the mucous membranes. High concentrations of vapour may produce central nervous system

depression and unconsciousness.

LD50 Inhalation 40.2mg/l Rat (4 hours)

TCLo Not available

Carcinogenicity Not considered to be a carcinogen. Mutagenicity Not considered to be a mutagen.

Reproductive Effects None identified.

Section 12. Ecological

12.1 Toxicity Very toxic to aquatic life with long lasting effects.

LC50 Algal Not available LC50 Crustacea Not available LC50 Fish Not available 12.2 Persistence and No data available.

degradability

12.3 Bioaccumulative potential No data available. 12.4 Mobility in soil No data available.

Results of PBT & vPvB

assessment

Assessment not required.

12.6 Other adverse effects None known at present.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal Methods Dispose of in a licensed incinerator for organic solvents. Do not dispose of as domestic waste. Never dispose of

into water courses or sewerage systems due to high risk of explosion.

Contaminated Packaging Use a licensed waste disposer. Do not attempt to burn any residual liquids due to risk of explosion.

Section 14. Transport Information

14.1 UN Number 3295

14.2 Proper Shipping Name Hydrocarbons, liquid, N.O.S. (Octene)

14.3 Transport classes

UN classification 3
Subsidiary hazard(s) None
Transport category 2
ADR Hazard ID 33
Tunnel Restriction Code D/E


14.4 Packing Group II

14.5 Environment hazards See section 12.

14.6 Special precautions for No special precautions required.

user

14.7 Transport in bulk Not transported in bulk.



15.1 Safety, health and environment regulations specific for subtance/mixture.

Classification, Labeling & Packaging of Substances & Mixtures Regulations (1272/2008/CE)

Classification Flammable liquid, category 2; Aspiration hazard, category 1; Hazard to aquatic environment, category 1

Signal word Danger

Hazard Pictograms







Hazard Statements H225, H304, H410

Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Very toxic to aquatic life with

long lasting effects.

Precautionary Statements P233, P280, P261, P301+P310, P331

Keep container tightly closed. Wear protective gloves / protective clothing / eye protection / face protection. Avoid breathing dust / fume / gas / mist / vapours / spray. IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician. Do NOT induce vomiting.

Supplemental Hazard

Information (EU)

EUH066

Repeated exposure may cause skin dryness or cracking.

15.2 Chemical safety assessment

Assessment not required.

Section 16. Other Information

The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment. See sections 11 for toxicological information and section 12 for ecological information.

Revision number: 1.1 (Supercedes revision 1.0)

Revision date: 16 April 2021

Reviewed by chemist: 16 April 2021

Printed date: 12 August 2023

Copyright: 2023 Vickers Laboratories Ltd

Vickers Laboratories Ltd - Safety Data Sheet Ref: 4924 Page 5 of 6